


Vascu-PICC TLS Pediatric Ordering Information



Designed to provide exceptional treatment for your smallest patients. Vascu-PICC TLS features dual and single lumen configurations, a polyurethane body, and high flow rates in a small French size. Since smaller veins require greater precision, it makes sense to offer you more choices in PICC sizes.

| Part Number | Lumen | Size (F) | Length (cm) |
|---------------------------------|--------|----------|-------------|
| Catheter Only Kits | | | |
| MD17011100 | Single | 1.9 | 50 |
| MD17012600 | Dual | 2.6 | 50 |
| Basic Kits (OTN) | | | |
| MD17011121 | Single | 1.9 | 20 |
| MD17011101 | Single | 1.9 | 50 |
| MD17012621 | Dual | 2.6 | 20 |
| MD17012601 | Dual | 2.6 | 50 |
| Basic (No Insertion Components) | | | |
| MD17021121 | Single | 1.9 | 20 |
| MD17022601 | Dual | 2.6 | 50 |
| Basic Kits (MST) | | | |
| MD1701112245 | Single | 1.9 | 20 |
| MD1701110245 | Single | 1.9 | 50 |
| MD1701262245 | Dual | 2.6 | 20 |
| MD1701260245 | Dual | 2.6 | 50 |
| Maximal Barrier Kits | | | |
| MRVSP19001 | Single | 1.9 | 20 |
| MRVSP26001 | Dual | 2.6 | 50 |

| Part Number | Description |
|-------------|---|
| Accessories | |
| MR17019001 | Pediatric PICC Procedure w/ Maximal Barrier |



Vascu-PICC TLS Pediatric PICC Components

| Description | Catheter Only | Basic Set OTN | Basic Set MST | Basic Set No MST | Procedure Tray | Ped. Procedure Tray |
|---------------------------------------|---------------|---------------|---------------|------------------|----------------|---------------------|
| Vascu-PICC TLS with pre-loaded stylet | • | • | • | • | | |
| Patient information booklet | • | | | | | |
| Needle free valve(s) | • | • | • | • | | |
| Patient chart sticker | • | • | | | | |
| Securement device | • | • | • | • | | |
| 10 cc Syringe | | • | • | • | | |
| 2" x 2" Gauze | | • | • | • | • | • |
| Tape measure(s) | | • | • | • | • | • |
| Tearaway introducer | | • | • | | | |
| Tourniquet | | • | • | • | | |
| Guidewire | | | • | | • | • |
| Safety needle | | | • | | • | • |
| Pre-filled saline syringes (3) | | | | | • | • |
| Safety scalpel | | | | | • | • |
| Scissors | | | | | • | • |
| Chlorhexidine (2) | | | | | • | • |
| Surgical tape | | | | | • | • |
| 37" x 24" Fenestrated drape | | | | | • | |
| Steri-strips | | | | | • | • |
| Adhesive dressing | | | | | • | • |
| Needle stick pad | | | | | • | • |
| 5 cc Lidocaine HCL 1% | | | | | • | • |
| Filter straw | | | | | • | • |
| Lidocaine/saline stickers | | | | | • | • |
| Surgical gloves (3) | | | | | • | • |
| 40" x 70" Drape | | | | | • | |
| Face masks (2) | | | | | • | • |
| 36" x 24" Drape | | | | | • | • |
| 5 cc Syringe | | | | | • | • |
| Bouffant cap | | | | | • | • |
| 4" x 4" Gauze | | | | | • | • |
| XL Gown | | | | | • | • |
| Steel forceps | | | | | | • |
| 19" x 12" Fenestrated drape | | | | | | • |

Consult your AngioDynamics representative for country specific product availability.

IMPORTANT RISK INFORMATION

Pro-PICC CT, Vascu-PICC and Vascu-PICC TL Catheters

INDICATION FOR USE: The Peripherally Inserted Central Vein Access Catheters are designed for Long or Short - Term peripheral access to the central venous system for intravenous therapy and blood sampling, and allows for central venous pressure monitoring. This catheter may be inserted via the basilic, cephalic, or median cubital vein.

PRO-PICC CT, VASCU-PICC and VASCU-PICC TL

INDICATION FOR USE: The Peripherally Inserted Central Vein Access Catheters are designed for Long or Short - Term peripheral access to the central venous system for intravenous therapy and blood sampling, and allows for central venous pressure monitoring. This catheter may be inserted via the basilic, cephalic, or median cubital vein.

CONTRAINDICATIONS: This catheter is not intended for any use other than that which is indicated. Do not implant catheter in thrombosed vessels. The presence of skin related problems around the insertion site (infection, phlebitis, scars, etc.) The presence of device related bacteremia or septicemia. History of mastectomy on insertion side. Previous history of venous/subclavian thrombosis or vascular surgical procedures at insertion site. Fever of unknown origin. The patient's body size is insufficient to accommodate the size of the implanted device. The patient is known or is suspected to be allergic to materials contained in the device. Past irradiation of prospective insertion site. Local tissue factors will prevent proper device stabilization and / or access. Refer to Directions for provided with the product for complete Instructions, Warnings, Precautions, Possible Adverse Effects and Contraindications. Observe all instructions for use prior to use. Failure to do so may result in patient complications. CAUTION: Federal Law (USA) restricts this device to sale by or on the order of a physician.

Federal Law (USA) restricts this device to sale by or on the order of a physician.

VASCU-PICC TLS

INDICATION FOR USE: The 1.9F and 2.6F Peripherally Inserted Central Vein Access Catheters are indicated for short or long term access to the central venous system via peripheral insertion in neonates, infants, and children. It may be used for administration of fluids, medication, and nutritional therapy. Recommended insertion sites are the median cubital vein of the elbow or the basilic vein. The long saphenous veins of the ankle may also be used. This catheter is not suitable for insertion through nonsuperficial veins.

CONTRAINDICATIONS: This catheter is not intended for any use other than that which is indicated. Do not implant catheter in thrombosed vessels. The presence of skin related problems around the insertion site (infection, phlebitis, scars, etc.) The presence of device related bacteremia or septicemia. Previous history of venous/subclavian thrombosis or vascular surgical procedures at insertion site. Fever of unknown origin. The patient's body size is insufficient to accommodate the size of the implanted device. The patient is known or is suspected to be allergic to materials contained in the device. Past irradiation of prospective insertion site. Local tissue factors will prevent proper device stabilization and / or access. Refer to Directions for provided with the product for complete Instructions, Warnings, Precautions, Possible Adverse Effects and Contraindications. Observe all instructions for use prior to use. Failure to do so may result in patient complications. CAUTION: Federal Law (USA) restricts this device to sale by or on the order of a physician.

Vascu-PICC TLS Catheters


The 1.9F and 2.6F Peripherally Inserted Central Vein Access Catheters are indicated for short or long term access to the central venous system via peripheral insertion in neonates, infants, and children. It may be used for administration of fluids, medication, and nutritional therapy. Recommended insertion sites are the median cubital vein of the elbow or the basilic vein. The long saphenous veins of the ankle may also be used. This catheter is not suitable for insertion through nonsuperficial veins.

CONTRAINDICATIONS: The Pro-PICC, Vascu-PICC, Vascu-PICC TL and Vascu-PICC TLS Catheters are not intended for any use other than that which is indicated. Do not implant catheter in thrombosed vessels. The presence of skin related problems around the insertion site (infection, phlebitis, scars, etc.) The presence of device related bacteremia or septicemia. History of mastectomy on insertion side. Previous history of venous/subclavian thrombosis or vascular surgical procedures at insertion site. Fever of unknown origin. The patient's body size is insufficient to accommodate the size of the implanted device. The patient is known or is suspected to be allergic to materials contained in the device. Past irradiation of prospective insertion site. Local tissue factors will prevent proper device stabilization and / or access.

Refer to Directions for provided with the product for complete Instructions, Warnings, Precautions, Possible Adverse Effects and Contraindications. Observe all instructions for use prior to use. Failure to do so may result in patient complications.

CAUTION: Federal Law (USA) restricts this device to sale by or on the order of a physician.

PICCs
For all ages



USA > 14 Plaza Drive, Latham, NY 12110 > tel: 800-772-6446 or 518-798-1215 > fax: 518-798-1360
International > Haaksbergweg 75 (Margrietoren), 1101 BR, Amsterdam Z-O > The Netherlands
tel: +31 (0)20 753 2949 > fax: +31 (0)20 753 2939

www.angiodynamics.com

Distributed by AngioDynamics, Inc.
*AngioDynamics and the AngioDynamics logo are trademarks and/or registered trademarks of AngioDynamics, Inc., an affiliate or a subsidiary. Medcomp, the Medcomp logo, Vascu-PICC, the Vascu-PICC logo, VASCU-PICC TL, the VASCU-PICC TL logo, Pro-PICC, and the Pro-PICC logo, are trademarks and/or registered trademarks of Medical Components, Inc. All other trademarks are property of their respective owners.
© 2020 AngioDynamics, Inc. US/VA/BR/590 Rev 03 01/2022



Pro-PICC, Vascu-PICC and Vascu-PICC TL PICC Kit Components

| Description | Catheter Only | Basic Set MST | IR Kit (Long Wire) | Nursing Kit | Full Nursing Kit | Maximal Barrier Kit |
|------------------------------------|---------------|---------------|--------------------|-------------|------------------|---------------------|
| PICC (w/ stylet) | • | • | • | • | • | • |
| Peelable sheath introducer | | • | • | • | • | • |
| Mini scalpel | | • | • | | | |
| Guidewire | | • | • | • | • | • |
| 10 cc Syringe | | • | • | • | | |
| Tape measure(s) | | • | • | • | • | • |
| Introducer needle | | • | • | | • | • |
| Needle free valve(s) | • | • | • | • | • | • |
| Catheter securement device | • | • | • | • | • | • |
| Patient information pack | • | • | • | • | • | • |
| Patient chart sticker* | • | • | • | • | • | • |
| Patient ID card* | • | • | • | • | • | • |
| Safety scalpel | | | | • | • | • |
| Safety introducer needle | | | | • | • | • |
| Safety Needle | | | | | • | • |
| Tourniquet | | | | | • | • |
| 5 cc Syringe | | | | | • | • |
| Surgical Tape | | | | | • | • |
| Pre-filled saline syringe(s) | | | | | • | • |
| Chlorhexidine | | | | | • | • |
| Tinted chlorhexidine | | | | | • | • |
| 5 cc Lidocaine | | | | | • | • |
| Adhesive wound dressing | | | | | • | • |
| Needle stick pad | | | | | • | • |
| 4" x 4" Gauze | | | | | • | • |
| Surgical gloves | | | | | • | • |
| Filter straw | | | | | • | • |
| Scissors | | | | | • | • |
| Steri-strips | | | | | • | • |
| Face mask(s) | | | | | • | • |
| 2" x 2" Gauze | | | | | • | • |
| Fenestrated drape | | | | | • | • |
| Drape | | | | | • | • |
| Safety hypodermic needle | | | | | • | • |
| Lidocaine/saline stickers | | | | | • | • |
| Full body drape | | | | | | • |
| XL gown | | | | | | • |
| Surgical face mask with eye shield | | | | | | • |
| Bouffant cap | | | | | | • |
| Probe cover with gel | | | | | | • |

*Patient ID cards are not included in VASCU-PICC Kits

| Size (F) | Lumen | Flow Rate |
|----------|--------|-----------|
| 4 | Single | 5 cc/sec |
| 5 | Single | 5 cc/sec |
| 5 | Dual | 5 cc/sec |
| 6 | Dual | 5 cc/sec |
| 6 | Triple | 5 cc/sec |

CT, Non-Valved Catheters



The **Pro-PICC CT Catheter** reduces patient trauma and risks associated with secondary venous access by allowing for the combination of CT Power Injection capabilities and infusion therapy. Flow rates are easily identifiable on the ID tags, which also provide strength and durability for repeated use.

Pro-PICC CT Ordering Information

| Part Number | Lumen | Size (F) | Length (cm) |
|--------------------|--------|----------|-------------|
| Catheter Only Kits | | | |
| MD17033100 | Single | 3 | 55 |
| Basic Kits (MST) | | | |
| MD17033101 | Single | 3 | 55 |
| MD17034101 | Single | 4 | 55 |
| MD17035101 | Single | 5 | 60 |
| MD17035201 | Dual | 5 | 55 |
| MD17035211* | Dual | 5 | 55 |
| MD17036201 | Dual | 6 | 60 |
| MD17036301 | Triple | 6 | 60 |
| MD17035222** | Dual | 5 | 55 |
| MR17036322** | Triple | 6 | 60 |
| IR/Long Wire Kits | | | |
| MD17033102 | Single | 3 | 55 |
| MD17034102 | Single | 4 | 55 |
| MD17035102 | Single | 5 | 60 |
| MD17035111* | | | |
| MD17035202 | Dual | 5 | 55 |
| MD17035211* | | | |
| MD17035222** | | | |
| MD17036202 | Dual | 6 | 60 |
| MD17036302 | Triple | 6 | 60 |
| MR17036322** | | | |

* Has flushable stylet
** Has 0.016" guidewire and no stylet

CT, Valved Catheters

The **Pro-PICC Valved Catheter** can be used for power injection of contrast media and central venous pressure (CVP) monitoring. The catheter's bi-directional valve allows for ease of aspiration.

Pro-PICC Ordering Information

| Part Number | Lumen | Size (F) | Length (cm) |
|------------------|--------|----------|-------------|
| Basic Kits (MST) | | | |
| MD82034101* | Single | 4 | 55 |
| MD82035101* | Single | 5 | 60 |
| MD82035201* | Double | 5 | 55 |
| MD82036301* | Triple | 6 | 60 |

*AngioDynamics does not keep high inventory levels of this code.Please check with your sales representative for availability and lead times.
† CAN approved only

Bi-Directional Performance Valve



| Part Number | Lumen | Size (F) | Length (cm) |
|----------------------|--------|----------|-------------|
| Basic Nursing Kits | | | |
| MD17033105 | Single | 3 | 55 |
| MD17034105 | Single | 4 | 55 |
| MD17035105 | Single | 5 | 60 |
| MD17035205 | Dual | 5 | 55 |
| MD17036205 | Dual | 6 | 60 |
| MD17036305 | Triple | 6 | 60 |
| Full Nursing Kits | | | |
| MR17033106 | Single | 3 | 55 |
| MR17034106 | Single | 4 | 55 |
| MR17035206 | Dual | 5 | 55 |
| MR17036306 | Triple | 6 | 60 |
| Maximal Barrier Kits | | | |
| MR17033106MB | Single | 3 | 55 |
| MR17034106MB | Single | 4 | 55 |
| MR17035106MB | Single | 5 | 60 |
| MR17035206MB | Dual | 5 | 55 |
| MR17036306MB | Triple | 6 | 60 |



Non-CT, Non-Valved Catheters

Vasculine-PICC and Vasculine-PICC TL catheters provide a range of options to meet the unique needs of your patients. Vasculine-PICC offers a tapered design that may help reduce bleeding at the insertion site, while Vasculine-PICC TL features a taperless lumen, ideal for smaller vasculature.



Vasculine-PICC Ordering Information


| Part Number | Lumen | Size (F) | Length (cm) |
|--------------------|--------|----------|-------------|
| Catheter Only Kits | | | |
| MD17013100 | Single | 3 | 60 |
| Basic Kits (MST) | | | |
| MD17013101 | Single | 3 | 60 |
| MD17014101 | Single | 4 | 60 |
| MD17015101 | Single | 5 | 60 |
| MD17014201 | Dual | 4 | 60 |
| MD17015201 | Dual | 5 | 60 |
| MD17016201* | Dual | 6 | 60 |

*AngioDynamics does not keep high inventory levels of this code.Please check with your sales representative for availability and lead times.

Vasculine-PICC TL (Taperless) Ordering Information

| Part Number | Lumen | Size (F) | Length (cm) |
|----------------------|--------|----------|-------------|
| Basic Kits (MST) | | | |
| MD81013101 | Single | 3 | 60 |
| MD81014101* | Single | 4 | 60 |
| MD81014201* | Dual | 4 | 60 |
| MD81015201* | Dual | 5 | 60 |
| Maximal Barrier Kits | | | |
| MR81013106MB | Single | 3 | 60 |
| MR81014106MB | Single | 4 | 60 |
| MR81014206MB | Dual | 4 | 60 |
| MR81015206MB | Dual | 5 | 60 |

*AngioDynamics does not keep high inventory levels of this code.Please check with your sales representative for availability and lead times.



Taperless (Vasculine-PICC TL) or Tapered (Vasculine-PICC) Design

Easy-to-Read Depth Marks